09 JUN 23 AM 8: 53



## BUREAU OF PUBLIC WATER SUPPLY

## CALENDAR YEAR 2008 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

Sun Flower Utility Association Public Water Supply Name

C660022 List PWS ID #s for all Water Systems Covered by this CCR

Commun	ederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer ence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR is mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	☐ Advertisement in local paper ☐ On water bills ☐ Other
	Date customers were informed:/
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
/	Date Mäiled/Distributed:/ /
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Stone County Enterprise
	Date Published: 6/10/69
Dr.	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
D	CCR was posted on a publicly accessible internet site at the address: www
CERTI	FICATION
consister Departm	certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is not with the water quality monitoring data provided to the public water system officials by the Mississippi State ent of Health, Bureau of Public Water Supply.  **Control of Health**  **Control of Health
( \umber I	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215
	Phone: 601-576-7518

#### 2008 Annual Drinking Water Quality Report Sunflower Utility Association PWS ID: 0660022

The purpose of this report is to keep the users of water provided by this non-profit utility association informed concerning the water and services delivered over the past year. It will not be mailed to each customer. The association's goal is and always has been, to provide a safe and dependable supply of drinking water. The association's source of water is from two wells drawing from the Catahoula Formation Aquifer.

The drinking water provided by this utility association meets all federal and state requirements. If you have any questions about this report or concerning your water utility, please contact Pat Rouse at 601-928-3548. The mailing address is Sunflower Utility Association, 21 Rouse Road, Perkinston, MS 39573. It is important to the association that customers are fully informed about their water utility. Customers are welcome to attend any of our regularly scheduled meetings. They are held the first Tuesday of each March at 6:00 PM at the Sunflower Community Center.

The Sunflower Utility Association routinely monitors for constituents in your drinking water as required by Federal and Mississippi laws. The table shows the results of our monitoring for the period of January 1 to December 31, 2008. In cases where monitoring was not required in 2008, the table reflects the most recent results. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It is important to remember that the presence of these constituents does not necessarily pose a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water hotline at 1-800-426-4791.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Sunflower Utility Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601- 576-7582 if you wish to have your water tested.

In the table, you will find many terms and abbreviations you might not be familiar with so to help you better understand we have provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. Non-Detects (ND) - laboratory analysis indicates that the constituent is not present.

Parts per million (ppm) or Milligrams per liter (mg/L) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

	14 m	12 15 July	WATE	R QUALITY	TEST RESU	JLTS		SECOND PROPERTY
ontaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	ons initially alv	Likely Source of Contamination
Radioactive Con	ntamina	nts	0 = 11					AND ON STREET
I. Alpha emitters	N	2001*	2.1	0	PCi/I		0 15	Erosion of natural deposits
norganic Conta	minants	77371	DOM: T	AMA MA	A SET YEAR		strey, E.: Moord	Vigains ~ Al
Antimony TF101 TF102 TF102	N N N	2006 2007 2008	<0.0005 <0.0005 <0.0005	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ppm ppm ppm	1	0.0006 0.0006 0.0006	Discharge from petroleum refineri fire retardants; ceramics; electron solder
Arsenic TF101 TF102 TF102	Z Z Z	2006 2007 2008	<0,0005 <0,0005 <0.0005	0 0 0	ppm ppm ppm	1	0.05 0.05 .010	
Barium TF101 TF102	N N	2006	0.003521 0.005938	0	ppm ppm	-	2 2	Discharge of drill wastes; discharge metal refineries;
TF102 TF102	N	2007	0,005080	0	ppm	in a line	2	erosion of

-					-	-		Fat A Committee
Beryllium								Discharge from met refineries and coal-
TF101	N	2006	<0.0001	0	ppm			burning factories;
	N	2007	<0.0001	0	ppm ppm			discharge from
TF102	N	2008	<0.0001	and a second	Phine	-		electrical, aerospac
			- 18-11-11		100			and defense industri
0.1.1							CHARLES AND BASALO	Corrosion of
Cadmium	A1	2006	0.000194	0	ppm	A SAN	0.005	galvanized pipes:
TF101	N N	2007	< 0.0001	0	ppm	100		crosion of natural
TF102 TF102	N	2008	<0.0001	0	ppm			deposits: discharge
11102		2006	-0.0001		P.P.		-	from metal refiners
THE RESERVE AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS	A. P.	All	A LONG					runoff from waste
			3. (3.2)		610 3 8	20		batteries and paints
Chromium	- A					20.0		Discharge from stee
TF101	N	2006	0.003872	0	ppm	selling Witness	0.1	and pulp mills;
TF102	N	2007	<0.0005	0	ppm		0.1	erosion of natural
TF102	N	2008	0.002296	0	ppm		0.1	deposits
Copper		2000		1		1-026		Corrosion of
	N	2004	0.2	0	mg/L		AL=1.3	household plumbir
TF101	N	2006	0.2	and the same of	mg/L	1 1 1 1 1 1		systems; crosion of
17 15 15 15 15 15 15 15 15 15 15 15 15 15	N	2007	0.0		mg/L			natural deposits;
A STREET STREET	N	2008	0.2	T WEST STATE	mg/L	THE REAL PROPERTY.		leaching from woo
ALCOHOLD TO THE	N	2008	0.2	The service of the se	ingris	(A)		preservatives
				- PE				Discharge from
Cyanide	N	2006	<0.005	0	nom	- Marie -	0.2	steel/metal factorie
TF101	N	2006		0	ppm	S782 L	0.2	discharge from pla
TF102	N	2007	<0.005		ppm		0.2	and fertilizer facto
TF102	N	2008	<0.015	0	ppm		E WAY TO	
. Fluoride	100	SHOW SHARES			570.00000000000000000000000000000000000			Erosion of natural
TF101	N	2006	0.326961	0	ppm		4	deposits; water
	-	2007	0.182	0 7 7 7 8	ppm	-5'T &	PERSONAL A	additive which
TF102	N N	2007	0.174	0	ppm	1	4	promotes strong
TF102	5.4	2008	17.8 7.16	1 1 T T T	1.hm	强 点	20	teeth; discharge fr
	I to part of			De la constante		13.10.00		femilizer and
ALL THE STATE OF THE STATE OF	A STATE OF THE	COLOR BUILD		The same of the same of				aluminum factorie
The state of the s	1	2005	0.003	0	mg/L	9 1 433	AL=0.015	Corrosion of
. Lead	NN	2006		The State of the spice	mg/L	Sinterior is	THE PERSON NAMED IN	household plumbi
TF101		2007	0.002		mg/L mg/L			systems, crosion
	N	2008	0.002		anger.			natural deposits
	-		TO A STATE OF THE			V 201 010 X 10	T THE PERSON NAMED IN	Erosion of natural
Mercury	2171	11011151	UNICHE	11 . 190	31101111	FIGURE S	? MARICEIDE	deposits; discharg
organic)	20//	2002	-0.0000	0. 1			0.002	
TF101	N	2006	<0.0002	0 50	ppm		0.002	
TP102	N	2007	<0.0002	0	ppm .	22010	0.002	
TF102	N	2008	<0.0002	0	ppm	than	TOWN TOWN	cropland
CONCLEVE.	<u> </u>		A	27 DOM			190 1 10 10 10 10 10 10	Runoff from fertil
Nitrate (as		A maria	sould be	Att o	in the said	er i me	neitra C7 from	use: leaching from
Nitrogen)				1 2 2 4 1 1 1 1 1 1 1 1	Date 133		THE RESERVE OF THE PERSON NAMED IN COLUMN 2 IN COLUMN	I ase, leaving mas
	MADE	0.011001	10011	36 36 36 16 1 16		5. 9	10	contin tooks come
TF101	N	2006	<0.08	0	ppm		10	
	N	2007	<0.08	0	ppm	70 1	thon their io	erosion of natural
TF101	Connec			oni inc		101	Marie 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
TF101 TF102 TF101,TF102	N	2007	<0.08		ppm	No s	thon their io	erosion of natural deposits
TF101 TF102 TF101,TF102	N	2007	<0.08		ppm	10 ( 30 )	thon their io	erosion of natural deposits  Runoff from fertil
TF101 TF102 TF101,TF102 I. Nitrite (as Nitrogen)	K N	2007	<0.08	0	ppm	10 (	thon their io	erosion of natural deposits  Runoff from ferti- use; leaching from
TF101 TF102 TF101,TF102 Nitrite (as Nitrogen) TF101	N	2007 2008 2006	<0.08 <0.08	oms.	ppm ppm	70 17 18/1	thon their io	erosion of natural deposits  Runoff from ferti- use; leaching from septic tanks, sew
TF101 TF102 TF101,TF102 I. Nitrite (as Nitrogen) TF101 TF102	ZZ ZZ	2007 2008 2006 2007	<0.08 <0.08	oms.	ppm ppm	fo ( 30 -	thon their io	erosion of natural deposits  Runoff from ferti- use; leaching from septic tanks, sew erosion of natural
TF101 TF102 TF101,TF102 Nitrite (as Nitrogen) TF101	K N	2007 2008 2006	<0.08 <0.08	oms.	ppm ppm	10 ( 30 ) 1931 ,51	thon their io	erosion of natural deposits  Runoff from ferti- use; leaching from septic tanks, sew
TF101 TF102 TF101,TF102 I. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102	ZZ ZZ	2007 2008 2006 2007	<0.08 <0.08	oms.	ppm ppm	10 ( 30 + 193) 13 (	thon their io	erosion of natural deposits  Runoff from fertil use; leaching from septic tanks, sew erosion of natural
TF101 TF102 TF101,TF102  I. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  I. Nitrate +	ZZ ZZ	2007 2008 2006 2007	<0.08 <0.08	oms.	ppm ppm	10 ( 00.4 100 100 100 100	thon their io	erosion of natural deposits  Runoff from fertil use; leaching from septic tanks, sew erosion of natural
TF101 TF102 TF101,TF102  1. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102 TF101,TF102 5. Nitrate + Nitrite(as	ZZ ZZ	2007 2008 2006 2007	<0.08 <0.08	oms.	ppm ppm	10 ( 20.4 193; 14.00	thon their io	erosion of natural deposits  Runoff from ferti- use; leaching from septic tanks, sew erosion of natural
TF101 TF102 TF101.TF102  Nitrite (as Nitrogen) TF101 TF102 TF101.TF102  Nitrate + Nitrite(as Nitrogen)	ZZZZ	2007 2008 2006 2007 2008	<0.08 <0.08 <0.02 <0.02 <0.02 <0.02	o mal	ppm ppm ppm ppm ppm	to i	i just nort	erosion of natural deposits  Runoff from ferti- use; leaching from septic tanks, sew erosion of natural deposits
TF101 TF102 TF101.TF102  Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  Nitrate + Nitrite(as Nitrogen) TF101 TF101	2 222 22	2007 2008 2006 2007 2008	<0.08 <0.08 <0.02 <0.02 <0.02 <0.02	come into	ppm ppm ppm ppm	to of e. Oc. tites (ib), h	or just north	erosion of natural deposits  Runoff from ferti- use; leaching from septic tanks, sew erosion of natural deposits
TF101 TF102 TF101,TF102  Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  Nitrate + Nitrite(as Nitrogen) TF101 TF101 TF101 TF101	22 222 22	2006 2008 2006 2007 2008	<0.08 <0.08 <0.02 <0.02 <0.02 <0.01	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ppm ppm ppm ppm ppm	to f 000 and the filter 120, 121, 121, 121, 121, 121, 121, 121,	to a lead of the control of the cont	erosion of natural deposits  Runoff from ferti- use; leaching from septic tanks, sew crosion of natural deposits
TF101 TF102 TF101.TF102  Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  Nitrate + Nitrite(as Nitrogen) TF101 TF101	2 222 22	2007 2008 2006 2007 2008	<0.08 <0.08 <0.02 <0.02 <0.02 <0.02	come into	ppm ppm ppm ppm	to t	or just north	erosion of natural deposits  Runoff from ferti- use; leaching from septic tanks, sew crosion of natural deposits
TF101 TF102 TF101,TF102  I. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  S. Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101,TF102 TF101,TF102	22 222 22	2006 2008 2006 2007 2008	<0.08 <0.08 <0.02 <0.02 <0.02 <0.01	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ppm ppm ppm ppm ppm	to t	to a lead of the control of the cont	erosion of natural deposits  Runoff from ferti- use; leaching from septic tanks, sew erosion of natural deposits
TF101 TF102 TF101,TF102  1. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  3. Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101 TF102 TF101,TF102  5. Selenium	222 222	2006 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ppm ppm ppm ppm ppm ppm ppm ppm	tof	en leur 10 en leu	erosion of natural deposits  Runoff from ferti- use; leaching from septic tanks, sew crosion of natural deposits  Discharge from
TF101 TF102 TF101,TF102  Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  Nitrite + Nitrite(as Nitrogen) TF101 TF102 TF101,TF102 TF101,TF102 TF101,TF102 TF101,TF102	2 222 222 22	2006 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ppm ppm ppm ppm ppm ppm ppm	tett	2) 20250 1 9005 V61	erosion of natural deposits  Runoff from ferti use: leaching from septic tanks, sew erosion of natural deposits  Discharge from petroleum and me
TF101 TF102 TF101.TF102  Nitrite (as Nitrogen) TF101 TF102 TF101.TF102  Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101.TF102  S. Selenium TF101 TF102 TF101 TF102	22 222 222 23	2007 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.1 <0.0005		ppm ppm ppm ppm ppm ppm ppm	to of the control of	20 24 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	erosion of natural deposits  Runoff from fertiuse; leaching from septic tanks, sew erosion of natural deposits  Discharge from petroleum and merefineries; erosio
TF101 TF102 TF101,TF102  I. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102 I. Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101,TF102 TF101,TF102 TF101,TF102 TF101,TF102	2 222 222 22	2006 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ppm ppm ppm ppm ppm ppm ppm	to fine the control of the control o	2) 20250 1 9005 V61	erosion of natural deposits  Runoff from fertifuse; leaching from septic tanks, sew crosion of natural deposits  Discharge from petroleum and me refineries; erosion natural deposits;
TF101 TF102 TF101,TF102  I. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  S. Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101,TF102  IF101,TF102  IF101,TF102  IF101,TF102  IF101,TF102	22 222 222 23	2007 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.1 <0.0005		ppm ppm ppm ppm ppm ppm ppm	to of the state of	20 24 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	erosion of natural deposits  Runoff from fertifuse: leaching from septic tanks, sew crosion of natural deposits  Discharge from petroleum and me refineries; erosion natural deposits; discharge from m
TF101 TF102 TF101,TF102  1. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  3. Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101,TF102 TF101,TF102  5. Selenium TF101 TF102 TF101,TF102 TF101,TF102	22 222 222 23	2007 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.1 <0.0005 <0.0005	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ppm ppm ppm ppm ppm ppm ppm ppm ppm	to in the control of	2 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	erosion of natural deposits  Runoff from fertil use: leaching from septic tanks, sew erosion of natural deposits  Discharge from petroleum and merefineries; erosion natural deposits discharge from merefineries
TF101 TF102 TF101,TF102  Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  Nitrite(as Nitrogen) TF101 TF102 TF101,TF102 TF101,TF102  S. Selenium TF101 TF102 TF101,TF102 TF101,TF102	22 222 222 23	2007 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.1 <0.0005		ppm ppm ppm ppm ppm ppm ppm	to of the control of	100 100 100 100 100 100 100 100 100 100	erosion of natural deposits  Runoff from fertiuse; leaching from septic tanks, sew erosion of natural deposits  Discharge from petroleum and merineries; erosion atural deposits; discharge from natural deposits; discharge from or processing sites;
TF101 TF102 TF101.TF102  I. Nitrite (as Nitrogen) TF101 TF102 TF101.TF102  S. Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101.TF102  TF101 TF102 TF101.TF102  TF101 TF102 TF101	222 222 222	2006 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.1 <0.0005 <0.0005		ppm ppm ppm ppm ppm ppm ppm ppm ppm	to of the state of	100 100 100 100 100 100 100 100 100 100	erosion of natural deposits  Runoff from fertifuse; leaching from septic tanks, sew crosion of natural deposits  Discharge from petroleum and merefineries; erosion natural deposits; discharge from metaching from or processing sites; discharge from from sites; disc
TF101 TF102 TF101,TF102  1. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  3. Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101,TF102 TF101,TF102  5. Selenium TF101 TF102 TF101,TF102  7. Thallium TF101 TF102 TF101 TF102	2 222 222 222 2	2006 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.0005 <0.0005 <0.0005		ppm ppm ppm ppm ppm ppm ppm ppm ppm	to inter	100 100 100 100 100 100 100 100 100 100	erosion of natural deposits  Runoff from fertil use: leaching from septic tanks, sew crosion of natural deposits  Discharge from petroleum and me refineries; erosion antural deposits; discharge from processing sites; discharge from electronics, glass
TF101 TF102 TF101.TF102  I. Nirrite (as Nitrogen) TF101 TF102 TF101,TF102  I. Nirrite (as Nitrogen) TF101 TF102 TF101,TF102  I. Selenium TF101 TF102 TF101,TF102  TF101 TF102 TF101 TF102 TF101 TF102 TF102 TF101 TF102 TF101		2006 2007 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.0005 <0.0005 <0.0005		ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	to of the other terms of the other and other and	100 100 100 100 100 100 100 100 100 100	erosion of natural deposits  Runoff from fertifuse; leaching from septic tanks, sew crosion of natural deposits  Discharge from petroleum and merefineries; erosion natural deposits; discharge from metaching from or processing sites; discharge from from sites; disc
TF101 TF102 TF101,TF102  1. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  1. Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101 TF102 TF101,TF102  1. Selenium TF101 TF102 TF102 TF102 TF102 TF101 TF102 TF102 TF101 TF102 TF102 TF101		2006 2007 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.0005 <0.0005 <0.0005		ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	to of the control of	100 100 100 100 100 100 100 100 100 100	erosion of natural deposits  Runoff from fertil use: leaching from septic tanks, sew crosion of natural deposits  Discharge from petroleum and me refineries; erosion antural deposits; discharge from processing sites; discharge from electronics, glass
TF101 TF102 TF101,TF102  1. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  1. Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101 TF102 TF101,TF102  1. Selenium TF101 TF102 TF102 TF102 TF102 TF101 TF102 TF102 TF102 Olatile Organi		2006 2007 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.0005 <0.0005 <0.0005		ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	to in the control of	100 100 100 100 100 100 100 100 100 100	erosion of natural deposits  Runoff from fertil use: leaching from septic tanks, sew crosion of natural deposits  Discharge from petroleum and me refineries; erosion antural deposits; discharge from processing sites; discharge from electronics, glass
TF101 TF102 TF101,TF102  1. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  1. Nitrite + Nitrite(as Nitrogen) TF101 TF102 TF101,TF102 TF101,TF102 TF101 TF102 TF101 TF102 TF101 TF102 TF102 TF102 TF102 Olatile Organi 3, THM		2006 2007 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.0005 <0.0005 <0.0005		ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ter, content of the c	100 100 100 100 100 100 100 100 100 100	erosion of natural deposits  Runoff from fertifuse; leaching from septic tanks, sew erosion of natural deposits  Discharge from petroleum and me refineries; erosion antural deposits; discharge from or processing sites; discharge from electronics, glass drug factories
TF101 TF102 TF101.TF102  I. Nitrite (as Nitrogen) TF101 TF102 TF101.TF102  I. Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101 TF102 TF101 TF102 TF101 TF102 TF100  TF100 TF100 TF100 TF100 TF100 TF100 TF101 TF10	N N N N N N N N N N N N N N N N N N N	2006 2007 2008 2007 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.0005 <0.0005 <0.0005		ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	to of the other test, the othe	100 100 100 100 100 100 100 100 100 100	erosion of natural deposits  Runoff from fertifuse; leaching from septic tanks, sew crosion of natural deposits  Discharge from petroleum and mr refineries; erosion antural deposits; discharge from mr Leaching from or processing, sites; discharge from gleetronies, glass drug factories  By-product of
TF101 TF102 TF101,TF102  1. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  1. Nitrite + Nitrite(as Nitrogen) TF101 TF102 TF101,TF102 TF101,TF102 TF101 TF102 TF101 TF102 TF101 TF102 TF102 TF102 TF102 Olatile Organi 3, THM		2006 2007 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.0005 <0.0005 <0.0005		ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	to t	100 100 100 100 100 100 100 100 100 100	erosion of natural deposits  Runoff from fertil use; leaching from septic tanks, sew crosion of natural deposits  Discharge from petroleum and me refineries; erosion natural deposits; discharge from m Leaching from on processing sites; discharge from electronics, glass drug factories  By-product of drinking water
TF101 TF102 TF101,TF102  1. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  1. Nitrite + Nitrite(as Nitrogen) TF101 TF102 TF101,TF102 TF101 TF102 TF101,TF102 TF102 TF102 TF102 TF102 TF102  Olatile Organi  3. THM [Total trihalomethanes]	N N N N N N N N N N N N N N N N N N N	2006 2007 2008 2007 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.1 <0.0005 <0.0005 <0.0005 <0.0005		ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ter, to ter, t	10 10 10 10 10 10 10 10 10 10 10 10 10 1	erosion of natural deposits  Runoff from fertifuse; leaching from septic tanks, sew erosion of natural deposits  Discharge from petroleum and me refineries; erosion antural deposits; discharge from me Leaching from or processing, sites; discharge from electronics, glass drug factories  By-product of drinking water chlorination
TF101 TF102 TF101.TF102  I. Nitrite (as Nitrogen) TF101 TF102 TF101.TF102  I. Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101 TF102 TF101 TF102 TF101 TF102 TF102  TF101 TF102 TF102  TF103 TF104 TF105 TF105 TF106 TF107 TF107 TF108 TF108 TF101 TF101 TF101 TF101 TF101 TF102 TF102  Olatile Organi I. TIHM [Total trihalomethanes I TF101	N N N N N N N N N N N N N N N N N N N	2006 2007 2008 2007 2008 2007 2008 2007 2008 2007 2008 2007 2008 2007 2008 2007 2008 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.0005 <0.0005 <0.0005		ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ter, ter ter, ter,	100 100 100 100 100 100 100 100 100 100	erosion of natural deposits  Runoff from fertifuse; leaching from septic tanks, sew erosion of natural deposits  Discharge from petroleum and me refineries; erosion antural deposits; discharge from me Leaching from or processing, sites; discharge from electronics, glass drug factories  By-product of drinking water chlorination
TF101 TF102 TF101,TF102  1. Nitrite (as Nitrogen) TF101 TF102 TF101,TF102  5. Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101,TF102  7. TF101 TF102 TF101 TF102 TF103 TF101 TF102 TF103 TF101 TF102 TF101 TF102 TF101 TF102 TF102  7. Thallium TF101 TF102 TF102 Olatile Organi 3. THM [Total trihalomethanes 1 TF101 TF101 TF101 TF101	N N N N N N N N N N N N N N N N N N N	2006 2007 2008 2006 2007 2008 2006 2007 2008 2006 2007 2008 2007 2008 Ero the period ending 12/31/2005	<0.08 <0.02 <0.02 <0.02 <0.02 <0.03 <0.1 <0.1 <0.1 <0.005 <0.0005 <0.0005 <0.0005 <0.0005 <0.0005		ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	to t	10 10 10 10 10 10 10 10 10 10 10 10 10 1	deposits  Runoff from fertil use; leaching from septic tanks, sew erosion of natural deposits  Discharge from petroleum and me refineries; erosion natural deposits, discharge from metertonics, discharge from electronics, glass drug factories  By-product of drinking water chlorination
TF101 TF102 TF101.TF102  I. Nitrite (as Nitrogen) TF101 TF102 TF101.TF102  I. Nitrate + Nitrite(as Nitrogen) TF101 TF102 TF101 TF102 TF101 TF102 TF101 TF102 TF102  TF101 TF102 TF102  TF103 TF104 TF105 TF105 TF106 TF107 TF107 TF108 TF108 TF101 TF101 TF101 TF101 TF101 TF102 TF102  Olatile Organi I. TIHM [Total trihalomethanes I TF101	N N N N N N N N N N N N N N N N N N N	2006 2007 2008 2007 2008 2007 2008 2007 2008 2007 2008 2007 2008 2007 2008 2007 2008 2007 2008	<0.08 <0.02 <0.02 <0.02 <0.02 <0.01 <0.1 <0.1 <0.1 <0.0005 <0.0005 <0.0005 <0.0005		ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ter, control of the c	10 10 10 10 10 10 10 10 10 10 10 10 10 1	erosion of natural deposits  Runoff from fertil use; leaching from septic tanks, sew erosion of natural deposits  Discharge from petroleum and me refineries; erosion natural deposits; discharge from or processing sites; discharge from electronics, glass drug factories  By-product of drinking water chlorination

As you can see by the table, our system had no violations. We are proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Please call if you have questions or desire a copy of this report. The Sunflower Utility Association requests that all customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Publish: 6/10/09

# Stone County Enterprise

PO Box 157, Wiggins, MS 39577 • 601-928-4802 (phone) • 601-928-2191 (fax)

### **Proof of Publication**

STATE OF MISSISSIPPI COUNTY OF STONE CITY OF WIGGINS

Personally appeared before me the undersigned authority in and for City, County and State aforesaid, **Heather Freret** who being by me first duly sworn, states on oath, that she is Publisher of the **Stone County Enterprise**, a newspaper published in the City, County, and State aforesaid, and the publication of the notice, a copy of which is hereto attached, has been made in said newspaper \_\_\_\_\_\_\_ times as follows:

, Th		
On the	day of Sine	2009
On the	day of	2009
On the	day of	2009
On the	day of	2009
On the	day of	2009
On the	day of	2009

Heather Freret

Sworn to and subscribed before me this

day of

2009

Notary Public

My commission expires

ID # 59032

CHARLOTTE WIPPLER

Commission Expires
July 17, 2012

#### 2008 Annual Drinking Water Quality Report Sunflower Utility Association PWS ID: 0660022

The purpose of this report is to keep the users of water provided by this non-profit utility association informed concerning the water and services delivered over the past year. It will not be mailed to each customer. The association's goal is and always has been, to provide a safe and dependable supply of drinking water. The association's source of water is from two wells drawing from the Catahoula Formation Aquifer. Our source water assessment has been completed. Our wells were ranked **moderate** in terms of susceptibility to contamination. For a copy of the report, please contact our office at 601-928-3548.

The drinking water provided by this utility association meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Pat Rouse at 601-928-3548. The mailing address is Sunflower Utility Association, 21 Rouse Road, Perkinston, MS 39573. It is important to the association that customers are fully informed about their water utility. Customers are welcome to attend any of our regularly scheduled meetings. They are held the first Tuesday of each March at 6:00 PM at the Sunflower Community Center.

The Sunflower Utility Association routinely monitors for constituents in your drinking water as required by Federal and Mississippi laws. The table shows the results of our monitoring for the period of January 1 to December 31, 2008. In cases where monitoring was not required in 2008, the table reflects the most recent results. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It is important to remember that the presence of these constituents does not necessarily pose a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water hotline at 1-800-426-4791.

#### Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Sunflower Utility Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601-576-7582 if you wish to have your water tested.

In the table, you will find many terms and abbreviations you might not be familiar with so to help you better understand we have provided the following definitions:

Action Level – the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Non-Detects (ND) - laboratory analysis indicates that the constituent is not present.

Parts per million (ppm) or Milligrams per liter (mg/L) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

			WATER	R QUALITY	TEST RES	ULTS		
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Cont	aminant	ts						
1. Barium	N	2008	0.005	0 - 0.005	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; crosion of natural deposits
2. Chromium	N	2008	0.002	0 - 0.002	ppm	0.1	0.1	Discharge from steel and pulp mills; erosion of natural deposits
3. Copper	N	2008	0.2	0	mg/L	1.3	AL=1.3	Corrosion of household plumbing systems; erosic of natural deposits; leaching from wood preservatives
4. Fluoride	N	2008	0.174	<b>0</b> -0.174	ppm	4,0	4.0	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
5. Lead	N	2008	2.0	0	ppb	0	AL,=15	Corrosion of household plumbing systems, crosio of natural deposits
Disinfection Bypr	oducts				-			
6. TTHM Total Trihalomethanes	N	2005	9.0	0	ppb	NA	80	By-product of drinking water chlorination
7. HAA5 Total Haloacetic Acids	N	2005	5.0	0	ppb	NA	60	By-product of drinking water chlorination
Chlorine (as Cl2)	N	2008	5.0	0	ppm	4.0	4.0	Water additive used to control microbes

Sep 10 09 01:47p Mary W. Price 601-928-4912 p.4

As you can see by the table, our system had no MCL violations. We are proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

#### Monitoring and Reporting Violations of Compliance Data

We are required to monitor your drinking water for specific constituents. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. Beginning 2008, the Mississippi State Department of Health (MSDH) required public water systems to monitor/test for lead and copper as required by the Lead and Copper Rule. Our water system failed to complete these monitoring requirements in January – June of 2008; therefore, we cannot be sure of your water quality during this particular time. We have since taken the required samples (October 2008) and the system has been returned to compliance.

#### \*\*\*\*\*MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\*\*

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply at 601.576.7518.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Please call if you have questions or desire a copy of this report. The Sunflower Utility Association requests that all customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Sep 14 09 04:02p Mary W. Price 601-928-4912 p.10

#### 2008 Annual Drinking Water Quality Report Sunflower Utility Association PWS ID: 0660022

The purpose of this report is to keep the users of water provided by this non-profit utility association informed concerning the water and services delivered over the past year. It will not be mailed to each customer. The association's goal is and always has been, to provide a safe and dependable supply of drinking water. The association's source of water is from two wells drawing from the Catahoula Formation Aquifer. Our source water assessment has been completed. Our wells were ranked **moderate** in terms of susceptibility to contamination. For a copy of the report, please contact our office at 601-928-3548.

The drinking water provided by this utility association meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Pat Rouse at 601-928-3548. The mailing address is Sunflower Utility Association, 21 Rouse Road, Perkinston, MS 39573. It is important to the association that customers are fully informed about their water utility. Customers are welcome to attend any of our regularly scheduled meetings. They are held the first Tuesday of each March at 6:00 PM at the Sunflower Community Center.

The Sunflower Utility Association routinely monitors for constituents in your drinking water as required by Federal and Mississippi laws. The table shows the results of our monitoring for the period of January 1 to December 31, 2008. In cases where monitoring was not required in 2008, the table reflects the most recent results. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It is important to remember that the presence of these constituents does not necessarily pose a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water hotline at 1-800-426-4791.

#### Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Sunflower Utility Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601-576-7582 if you wish to have your water tested.

In the table, you will find many terms and abbreviations you might not be familiar with so to help you better understand we have provided the following definitions:

Action Level – the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Non-Detects (ND) - laboratory analysis indicates that the constituent is not present.

Parts per million (ppm) or Milligrams per liter (mg/L) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

			WATER	<b>QUALITY</b> T	TEST RES	ULTS		
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Cont	aminant	S						
1. Barium	N	2008	0.005	0 - 0.005	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
2. Chromium	N	2008	0.002	0 - 0.002	ррт	0.1	0.1	Discharge from steel and pulp mills; crosion of natural deposits
3. Copper	Y	2008	0.2	0	mg/L	1.3	AL=1.3	Corrosion of household plumbing systems; cross of natural deposits; leaching from wood preservatives
4. Fluoride	N	2008	0.174	0-0.174	ppm	4.0	4.0	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
5. Lead	Y	2008	2.0	0	ppb	0	AL=15	Corrosion of household plumbing systems, crosic of natural deposits
Disinfection Bypr	oducts							
6. TTHM Total Tribalomethanes	N	2005	9.0	0	ğqğ	NA	80	By-product of drinking water chlorination
7. HAA5 Total Haloacetic Acids	N	2005	5.0	0	ppb	NA	60	By-product of drinking water chlorination
Chlorine (as Cl2)	N	2008	Average 0.51 Highest 0.53 Lowest 0.51	0	ppm	4.0	4.0	Water additive used to control microbes

Sep 14 09 04:03p Mary W. Price 601-928-4912 p.12

As you can see by the table, our system had no MCL violations. We are proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

#### Monitoring and Reporting Violations of Compliance Data

We are required to monitor your drinking water for specific constituents. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. Beginning 2008, the Mississippi State Department of Health (MSDH) required public water systems to monitor/test for lead and copper as required by the Lead and Copper Rule. Our water system failed to complete these monitoring requirements in January – June of 2008; therefore, we cannot be sure of your water quality during this particular time. We have since taken the required samples (October 2008) and the system has been returned to compliance.

#### \*\*\*\*\*MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\*\*

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply at 601.576.7518.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Please call if you have questions or desire a copy of this report. The Sunflower Utility Association requests that all customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

## 2008 CCR Contact Information

Date: 6/25/09 Time: 11:00
PWSID: 6600 22
System Name: Surflower ttility
Lead/Copper Language MSDH Message re: Radiological Lab
MRDL Violation Chlorine Residual (MRDL) RAA
Other Violation(s) Lead Cropper monitoring vio later modelisted for 2006-2008
Will correct report & mail copy marked "corrected copy" to MSDH.
Will notify customers of availability of corrected report on next monthly bill.  Mr. Willis Will Contact the Person that did CCR  and house a Corrected copy done and notify Customers of available Corrected report by July 1, 2009.
Spoke with Billy Will's 601 528-1493 (Operator, Owner, Secretary)
= 9/10/09 11:48
John Price - Accountant 601 928-3681
will do presented copy and Fax to us

9/10/09 SECOND ATTEMPT